

Opus™ BA


Osteoconductive Matrix




Opus™ BA

Osteoconductive Matrix

Opus™ BA is a synthetic bioactive solution that is easily hydrated and flexible. A carefully selected trifecta of components creates an ideal environment for bone growth building on the earlier generations of synthetic bone grafts.




Bioglass and Opus drive osteoblasts to maturation. Opus BA drives beyond maturation and induces osteoblasts to mineralization.¹



Opus BA undergoes a proprietary process to ensure the osteoconductive matrix has uniform distribution, mimicking the structure and porosity of cancellous bone.²


A Carefully Selected Trifecta



Carbonate Apatite Bone Mineral | 50%

- Higher osteoclastic and osteoblastic activity than β -TCP & HA³
- Resorption & remodeling similar to human bone^{4,5}
- More calcium phosphate deposition than β -TCP⁶

Resorption Profile




Optimal Resorption & Remodeling



45S5 Bioactive Glass | 30%

- Ideal particle range and size (100-300 μ m)^{7,8,9}
 - Controlled rate of ion dissolution & surface reactivity
 - Optimal resorption rate
- Ability to stimulate the growth and osteogenic differentiation of osteoblasts¹⁰



* Relative mRNA levels of RANKL/GADPH



Type 1 Collagen | 20%

- 100% resorbable¹¹
- Intrinsic hemostatic properties control minor bleeding^{11,12}
- Binds proteins and cells and retains biological factors¹³

Opus BA Putty

71410307	Putty	7cc
71410314	Putty	14cc

Opus BA Strip

71420305	Strip	5cc
71420610	Strip	10cc
71421220	Strip	20cc
71422540	Strip	40cc

Bone Marrow Aspiration Needle

21-5000	8 guage
21-5011	11 guage

Please visit Orthofix.com/IFU for full information on indications for use, contraindications, warnings, precautions, adverse reactions information and sterilization.

References:

1. Ferreira, S.A., Young, G., Jones, J.R., Rankin, S. 2021. Bioglass/ Carbonate Apatite/ Collagen Composite Scaffold Dissolution Products Promote Human Osteoblast Differentiation. *Materials Science & Engineering C*, 118.
2. Data on file at Collagen Matrix, Inc.
3. Kanayama, K., Sriarj, W., Shimokawa, H., Ohya, K., Doi, Y., Shibutani, T. 2011. Osteoclast and Osteoblast Activities on Carbonate Apatite Plates in Cell Cultures. *J. Biomaterials*, 26, 435-436.
4. Matsuura, A., Kubo, T., Doi K., Hayashi, K., Morita, K., Yokota, R., Hayashi, H., Hirata, I., Okazaki, M., Akagawa, Y. (2009). Bone formation ability of carbonate apatite-collagen scaffolds with different carbonate contents. *Dental Materials Journal*, 28(2), 234-242.
5. Ellies, L.G., Carter, J.M., Natiella, J.R., Featherstone, J.D.B., Nelson, D.G.A. (1988). Quantitative analysis of early in vivo tissue response to synthetic apatite implants. *J. of Biomed. Mater. Res.*, 22, 137-148.
6. In vitro data on file at Collagen Matrix, Inc.
7. Oonishi, H., Kushitani, S., Yasukawa, E., Iwaki, H., Hench, L.L., Wilson, J., Tsuji, E., Sugihara, T. (1997). Particulate Bioglass Compared With Hydroxyapatite as a Bone Graft Substitute. *Clinical Orthopaedics and Related Research*, 334, 316-325, Lippincott-Raven Publishers, Philadelphia, PA.
8. Schepers, E.J.G., Ducheyne, P. (1997). Bioactive glass particles of narrow size range for the treatment of oral bone defects: a 1-24 month experiment with several materials and particle sizes and size ranges. *Journal of Oral Rehabilitation*, 24, 171-181.
9. Lindfors, N. C., Koski, I., Heikkilä, J. T., Mattila, K. and Aho, A. J. (2010), A prospective randomized 14 year follow up study of bioactive glass and autogenous bone as bone graft substitutes in benign bone tumors. *J. Biomed. Mater. Res.*, 94B, 157-164. doi:10.1002/jbm.b.31636
10. Xynos, I.D., Hukkanen, M.V., Batten, J.J., Buttery, L.D.K, Hench, L.L., Polak, J.M. (2000). Bioglass 4555 stimulates osteoblast turnover and enhances bone formation In vitro: Implications and applications for bone tissue engineering. *Calcif Tissue Int.* 67(4), 321-9.
11. Li, S.T. (2000). *Biomedical Engineering Handbook*, In JD Bronzino (Eds.), *Biologic Biomaterials: Tissue Derived Biomaterials (Collagen)* (1st ed.) 2, 42, 1-23, CRC Press, Boca Raton, FL.
12. Jaffe, R., Deykin, D. (1974). Evidence for a Structural Requirement for the Aggregation of Platelets by Collagen. *The Journal of Clinical Investigation*, 53, 875-883.
13. Geiger, M., Li, R.H., Friess, W. (2003). Collagen sponges for bone regeneration with rhBMP-2. *Science Direct / Elsevier*, 55, 1613-1629. <http://doi.org/10.1016/j.addr.2003.08.010>

Opus is a trademark of Orthofix Medical Inc., and its group of companies.
All rights reserved.

Manufactured by Collagen Matrix, Inc.
Oakland, NJ 07436

OSI-CustomerService@Orthofix.com
888-298-5700

Orthofix.com

OP-2201 © Orthofix US LLC 2/2022

